Panasonic Appliances for the Home 2004 **Panasonic** ideas for life

WWW.PANASONIC.CO.UK

Information on the complete range of Panasonic consumer products is available on our web site where you can also buy direct a range of accessories and consumable items.

You can also buy accessories and consumables by calling our Customer Care Centre on 08705 357357, Mon - Fri 09.00 - 17.30 except Bank Holidays (England).

PRODUCT ENQUIRIES

For enquiries on Panasonic Consumer products please contact your local Panasonic dealer or call the Panasonic Customer Care Centre on 08705 357357, Mon - Fri 09.00 - 17.30 except Bank Holidays [England].

CUSTOMER CARE CENTRE

Panasonic UK Ltd.

Panasonic House, Willoughby Road, Bracknell, Berks RG12 8FP

Republic of Ireland Sales Office

Panasonic Ireland Ltd, Unit 2015 / 2016 Orchard Avenue City West Business Campus Dublin 24

Telephone: 01 289 8333 (Product Enquiries only)

(The model range sold in the Republic of Ireland may differ from that shown in this brochure)

Panasonic Consumer Electronics UK is a division of Panasonic UK Limited. Panasonic and Technics are brand names of Matsushita Electric Industrial Co. Ltd. The design and specification of products are constantly changing in the interest of improvement. Whilst every care is taken in preparing this brochure, some changes may not be indicated or occur after publication. Please check with your Panasonic delate for details. Panasonic UK cannot accept resolubility for any errors or omissions.



Kitchen photography courtesy of ALNO Kitchens Telephone: 0208 898 4781

microwave ovens

| 03 | Microwave Introduction |
|----|------------------------|
| 04 | Combination Ovens |
| 08 | New Slimline Oven |
| 10 | Grill Ovens |
| 12 | Microwave Ovens |

breadmaker

16 Breadmakers

vacuum cleaners

| 18 | Vacuum Cleaners Range Introduction |
|----|------------------------------------|
| 20 | Upright Vacuum Cleaners |
| 24 | Cylinder Vacuum Cleaners |
| | |

shavers

31 Men's Wet or Dry Shaving

specifications

| 32 | Microwaves |
|----|-----------------|
| 34 | Build-in Kits |
| 34 | Breadmakers |
| 34 | Shavers |
| 35 | Vacuum Cleaners |

what's new for 2004

microwaves

slimline model

Space in the modern kitchen is always at a premium. With the increasing development of new labour saving devices, space on the worksurface becomes even more precious.

Recognising this fact Panasonic engineers were given the challenge of creating a new oven - smaller on the outside without losing cooking space inside. The result - our new Slimline Combi.

By moving the fan system from the rear of the oven to the roof we have created an oven 20% smaller on the outside whilst maintaining the interior cooking space.

catalytic clean

Market research reveals that of all the tasks in a modern kitchen, cleaning the oven is the least favourite. Panasonic microwave ovens have always been designed for ease of cleaning. Wipe clean interiors and carefully designed accessories are now complimented by the addition of a new catalytic self clean oven back. Unique to Panasonic microwaves the catalytic liner, in the compact combination range, helps to repel spills and splashes, making the oven simpler to clean.

vacuum cleaners

twin bin - extended range

Greater power and performance has been enhanced in the new 2004 Panasonic Vaccum cleaners. Twin bin models now boast an even better specification across both the upright and cylinder vacuum cleaner range. Power has also been increased, our most powerful upright now boasts an 1800W motor














microwaves designed for the UK

Panasonic has specifically designed and developed its range of ovens to meet the requirements of the UK household. At the Test Kitchen in Bracknell, Berkshire, initial product tests are completed, before the automatic programmes are developed on each model, followed by recipe testing and finally production of the cookery book, uniquely for the UK market.

inverter technology

Unique to Panasonic, Inverter Technology, available on most models, replaces the conventional transformer and capacitor with an inverter circuit board to offer many benefits:

Fast Cooking 900W (IEC) or 1000W (IEC) of power.

Check individual models for details.

Constant Power Most microwaves only operate on constant power when High or Full is selected. Other power levels are achieved by the microwave pulsing on and off. Inverter models give constant power for medium and low levels resulting in more efficient and even heating.

Even Cooking When cooking or reheating, Inverter technology ensures that food is heated evenly improving texture and flavour.

Lighter Ovens Microwaves using Inverter Technology weigh approximately 3kg less than ordinary microwaves. Easy to move for cleaning!

chaos defrost

Unique to Panasonic, Chaos Defrost uses random pulses of microwave energy to dramatically reduce defrosting times. Not only does this speed up the process it also produces very even defrosing. No more 'part cooked' chops with frozen pieces in the centre. Chops can be used immediately for cooking.

UK test kitchen

The Test Kitchen at Bracknell is staffed by a team of qualified Home Economists. Being involved with the complete development process they can speak confidently on any aspect relating to cooking or

operating your product. In fact we have a dedicated **Cookery Advice Line** where you can speak directly with one of our Home Economists who offer friendly guidance on making the most of your Panasonic microwave oven or breadmaker. Details on how to contact the Cookery Advice Team are contained in the

UK Cookbook supplied with your appliance.

Or visit www.cooking-corner.co.uk for a full list of the latest "hot" recipes.

microwave oven range overview

The Panasonic range of microwaves is grouped into 3 categories and the layout of this brochure reflects these **Combination Ovens** which cook using microwave/grill/convection are detailed on pages 4-9.

Grill Ovens which cook using microwave/grill are on pages 10-11 and **Microwave Only Ovens** are detailed on pages 12-15.

REHEATING CATEGORI

The label on the front of your oven will help you in using the heating instructions found on food packs.



combination ovens



family size dimension 4 inverter range

These Inverter models offer the ultimate in cooking performance.

They combine the efficiency of a microwave with the traditional browning and roasting from a conventional oven and grill. Special attention is given to ease of use and ease of cleaning.

NN A873S • family size dimension 4

| 1000W (IEC) Inverter microwave | 32 litre (1.1 cu.ft) interior capacity | Easy clean enamel lining with catalytic roof | 1500W radiant grill - 3 settings | Convection oven (40, 100-250°C) | 2 level convection cooking | Auto sensor reheat and cook | Auto weight cook | Stainless Steel finish







2 LEVEL COOKING

When you use the convection mode, the two shelves provide all the versatility of a traditional oven, which is perfect for batch baking or cooking large dishes of food that would not normally fit on the turntable.



| ENAMEL LINING

The enamel lining in these models is very hard wearing, easy to clean and will not discolour.



Aluminium finish | Specification as NN A873S





combination ovens

The family sized 32 litre range now offers **TWO LEVEL COOKING**. On convection, the two shelves supplied provide the versatility of a traditional oven enabling batch baking or large dishes of food to be cooked. The full **CONVECTION TEMPERATURE RANGE** 40, 100-250°C ensures success with meringues and pastries to Yorkshire puddings and roast joints. The easy to clean **ENAMEL INTERIOR** has a **RADIANT** GRILL recessed in the roof with a self clean catalytic liner above. TURBO BAKE combines the Convection Oven and Grill to give extra crisping and browning to food, such as pizzas, while significantly reducing the cooking time. AUTO SENSOR **PROGRAMS** will calculate the cooking time for you. The 27 litre compact range with stainless steel interior features the new CATALYTIC CLEAN BACK, making the oven easier to keep clean. The variable **QUARTZ GRILL** and fan assisted oven in these models are ideal for today's busy lifestyle.



NN A883W

Crisp White finish

| Specification as NN A873S











Cool Metallic Silver finish | Specification as NN A873S













Combination Microwave Ovens • Key Features Menu























combination ovens

compact dimension 4 inverter range

The dimension 4 quick cuisine reheat programmes are designed to cook to perfection the most popular convenience foods, once the weight has been entered.








microwave only

combination ovens

the dimension 4 oven offers









convection : fan assisted oven grill only

combination: microwave with grill and/or convection

NN A774S • compact dimension 4

▮ 1000W (I.E.C.) Inverter microwave ▮ 27 litre (1.0 cu.ft.) capacity ▮ Stainless Steel lining with catalytic self clean back | 1300W quartz grill - 3 settings | Convection oven (40, 100-250°c) | Auto weight reheat and cook | Stainless Steel finish.





| CATALYTIC BACK LINING | Unique to Panasonic!

The catalytic back lining is a self clean coating. The cleaning takes place when the convection oven is in use, and is performed as a continuous process. This means there is never a build-up of food or grease on the lining.



I Crisp white finish

| Specification as NN A774S



NN A724M

Cool Metallic Silver finish





Specification as NN A774S































Aluminium finish | Specification as NN A774S





combination ovens

combination ovens

slimline oven

This oven offers a different convection system which can traditionally cook and brown a range of popular foods.















microwave only

grill only



the slimline oven offers

convection heating



combination oven with

Space in the modern kitchen is always at a premium, especially on the work surface. Microwave ovens compete with an ever increasing range of new appliances, designed to make life easier.

Recognising this fact, Panasonic gave themselves the challenge to reduce the size of one of their best selling microwaves - without sacrificing the cooking capacity of the oven.

By completely re-designing the mechanics of the microwave, Panasonic have reduced the depth of the oven by 20% (when compared to an equivalent Panasonic model).

Re-positioning the fan system in the roof of the oven, rather than at the rear has dramatically reduced the depth of the oven. This means that you can enjoy the advantages of microwave, grill and convection heating in more compact kitchens, which may feature narrower, 500mm work surfaces. More importantly, this has been achieved without reducing the usable cooking space inside the oven.




Slimline oven design

As the fan has been moved to the roof of the oven, the exterior size has been reduced.



Slimline Oven

Traditional Combination Oven



- **A -** Depth of standard oven (equivalent Panasonic model)
- **B** Reduced depth of NEW Slimline oven gives 20% more workspace on a standard, 600mm worktop and is perfect for narrower, 500mm worktops

NN A554W • slimline oven

■ 1000W (I.E.C.) Inverter microwave ■ 27 litre (1.0 cu.ft.) capacity ■ Stainless Steel lining ▮ 1300W quartz grill ▮ Convection oven (100-220°c) ▮ Auto weight reheat and cook | Touch pad control | Crisp white finish







Combination Microwave Ovens • Kev Features Menu





















grill ovens

grill ovens


micro & browner range

For a microwave that browns, crisps and toasts like an ordinary grill, the Micro and Browner range offers the ideal solution.

Choose from the 27L Inverter models or the 20L compact size which will easily fit into any kitchen.

All Micro & Browners offer a **POWERFUL QUARTZ GRILL**. The instant heat of the Grill quickly browns and cooks all traditionally grilled foods including toast, bacon and sausages. The VARIABLE POWER GRILL offers 3 settings - High, Medium and Low to suit all types of foods (NN K103 offers one setting). On **COMBINATION** the oven combines Microwave energy with the Grill to give traditional browned and crisp results in a fraction of the time needed for conventional cooking. AUTO WEIGHT PROGRAMS will automatically cook a selection of foods, in the best possible way, once the weight has been entered (except NN K103W).








900W (IEC) Inverter microwave 27 litre (1.0 cu.ft.) interior capacity Stainless Steel lining | 1300W quartz grill - 3 grill settings | Auto weight reheat and cook | Stainless Steel finish



the **micro** & browner range offers







combination: microwave and grill



NN V623M

Cool Metallic Silver finish | Specification as NN V673S

1 2 3 4 5 6 7



| Crisp White finish | Specification as NN V673S

1 2 3 4 5 6 7





Warm Brown finish

NN V653C



NN K123M • compact micro & browner

800W (IEC) microwave 20 litre (0.7 cu.ft.) interior capacity | Acrylic lining | 1100W quartz grill - 3 grill settings | Auto weight reheat and cook | Cool Metallic Silver finish









NN K103W

800W (IEC) microwave 20 litre (0.7 cu.ft.) interior capacity Acrylic lining | 1100W quartz grill | Easy to use dial controls Crisp White finish





NN K153W

Crisp White finish | Specification as NN K123M





Micro & Browner Ovens • Key Features Menu



















microwave ovens



family size microwave range

If you want a microwave that reheats quickly, defrosts evenly, and is easy to operate, read about our Microwave range.

Auto weight programs on the touch control models will automatically cook your food to perfection, once the weight has been entered.

microwave ovens

If you plan to use your Microwave regularly for defrosting, ask for a model with the unique **CHAOS DEFROST** system. This ensures that chops, mince, chicken portions and whole joints are thoroughly defrosted without them starting to cook. **TURBO REHEAT** provides an added boost of microwave power up to 1000 Watts (IEC), for the initial part of the cooking time, when reheating foods such as soup and baked beans - a useful feature when feeding hungry children who want food fast. Models with **AUTO GUIDE** make the oven very simple to operate. The scrolling message shown in the display window clearly directs you to the next pad to press, while the addition of a **CHILD LOCK** provides extra security to prevent little fingers interfering with the programming of the oven.



NN T573S • microwave

| 900W (IEC) Inverter microwave | 27 litre (1.0 cu.ft.) interior capacity | Stainless Steel lining | Auto weight reheat and cook | Auto guide | Stainless Steel finish







| STAINLESS STEEL LINING

Our stainless steel lining provides a very high quality finish to the oven. This interior is not only easy to maintain, it is also very durable and long lasting.

automatic features



An added boost of microwave power to reheat foods such as soup and baked beans



The auto weight programmes will cook and reheat a selection of foods once the weight has been entered

NN T543W • microwave

| 900W (IEC) Inverter microwave | 27 litre (1.0 cu.ft.) interior capacity | Acrylic lining

Auto weight reheat and cook Auto guide Crisp White finish





NN T523M

Cool Metallic Silver finishSpecification as NN T573S






NN T553W

Crisp White finish | Specification as NN T573S













microwave ovens

microwave ovens

compact microwave range







NN E222M • microwave

800W (IEC) microwave
 20 litre (0.7 cu.ft.) interior capacity
 Acrylic lining
 Auto weight reheat and cook
 Auto weight defrost
 Cool Metallic Silver finish





| ACRYLIC LINING

All our compact microwave ovens have an easy to clean Acrylic lining. It is very simple to maintain, just needing a wipe over after use.




NN E273S

Stainless Steel finish
Specification as NN E222M

5

Crisp White finish
Specification as NN E222M

NN E252W



NN E202W • microwave

| 800W (IEC) microwave | 20 litre (0.7 cu.ft.) interior capacity | Acrylic lining | 5 power levels | Easy to use dial control | Crisp white finish



Microwave Ovens • Key Features Menu











family size breadmaker range

With the superior build quality and simplicity of design and operation, these breadmakers are an ideal addition to your home.

They give you the convenience of having fresh bread at anytime from fresh basic ingredients, and can cater for particular dietary requirements e.g. gluten free, low salt, high fibre.

SD 253 • breadmaker

 $\ensuremath{\|}$ Simple easy to use control panel with large read out $\ensuremath{\|}$ Programmed in UK Test Kitchen with UK ingredients | Automatic raisin nut dispenser Gluten Free Program | Extensive recipe/instruction book - written by Home Economists - includes over 100 recipes | 3 loaf sizes - medium, large and extra large | Crust Colour Control - select from three crust colours on the basic bake option - dark, medium and light | 100% whole wheat bread option | French/Italian bread option | Pizza dough option - only 45 minutes Digital timer - up to 13 hours Includes measuring cup and spoon

Quality from Experience

Panasonic launched Breadmakers into the UK market over 16 years ago. The SD 253 has recently been APPROVED BY THE **GOOD HOUSEKEEPING INSTITUTE** for 2004.



01 - Add the ingredients Measure the yeast, flour, sugar, salt, butter, water etc. Place in the bread pan.

3 easy steps to a

of bread

freshly baked loaf



02 - Select program & press start The mixing blade combines the ingredients to produce a dough. This is then kneaded, proved and baked.



03 - Remove the baked loaf The non-stick coated bread pan means bread will slide out easily.

The SD-253 has a RAISIN NUT DISPENSER that automatically adds additional ingredients to your recipe, while the SD-252 has a RAISIN BEEP signal to prompt the user to add their ingredients. The SD-253 can also bake gluten free loaves on the GLUTEN FREE PROGRAM, using a wide range of gluten free bread mixes.

Both models have a **SUPER RAPID OPTION** to produce a white or brown loaf in only 1 hour 55 minutes. They have a **SANDWICH OPTION** to bake softer bread with a thinner crust - ideal for making perfect sandwiches. Plus a VERSATILE DOUGH OPTION to make dough from white, brown or wholemeal flour for rolls, buns, croissants etc. With a FRENCH DOUGH OPTION for crusty French sticks. The BAKE ONLY **OPTION** is also ideal to cook a selection of tasty cakes and teabreads.











Simple easy to use control panel | Programmed in UK Test Kitchen with UK ingredients | Raisin beep signal to add additional ingredients Extensive recipe/ instruction book - written by Home Economists - includes over 70 recipes 3 loaf sizes - medium, large and extra large Crust Colour Control - select from three crust colours on the basic bake option - dark, medium and light | 100% whole wheat bread option French bread option | Pizza dough option - only 45 minutes | Digital timer - up to 13 hours Includes measuring cup and spoon





the panasonic vacuum cleaners range

the panasonic vacuum cleaners range








upright or cylinder?

Manufactured to the most stringent quality standards the Panasonic brand name stands for reliability, functionality and affordability. This range of vacuum cleaners is the most extensive range yet from Panasonic offering new, practical and innovative features to simplify your household cleaning.

Invariably people have a strong preference for either an upright or a cylinder cleaner.

Upright cleaners have larger dust capacity and so require less frequent emptying. See the new 4 litre Twin Bin upright with its unique double bin dust canister. All Panasonic upright cleaners feature On-board tools and Easy access hose for added convenience.

The MC E8000 Series 180° Cleanability with a large 3.5 litre dust capacity means you can vacuum for longer with a minimum of fuss. The MC E8015 has a deluxe floorhead which is ideal for wooden floors.







bagged or bagless?

Yet more choice! There are advantages to be gained both from disposable paper dustbags and the bagless cleaner. Simple, clean and hygienic to dispose of paper dustbags ensure that the dust stays in the bag. The bagless option however, saves on the cost of dustbags whilst providing a convenient method of dust disposal.

| | UPRIGHT | |
|----------|---------|--------|
| | Bagless | Bagged |
| MC E4011 | | |
| MC E4013 | | |
| MC E4015 | | |
| MC E468 | | |
| MC E480 | | |
| MC E481 | | |
| | | |

| | CYLINDER | |
|----------|----------|--------|
| | Bagless | Bagged |
| MC E8011 | | |
| MC E8013 | | |
| MC E8015 | | |
| MC E6003 | | |
| MC E4620 | | |
| MC E7301 | | |
| MC E7303 | | |
| MC E7305 | | |
| MC E7101 | | |
| MC E7103 | | |
| | | |

upright vacuums

twin bin bagless upright cleaners

Unique bagless big capacity system.

A unique Twin Bin bagless canister with large capacity, compact design with integral carrying handle and edge-to-edge cleaning make the all new Twin Bin the perfect addition to our Range.





MC E4011 bagless upright cleaner

■ 1700W motor ■ Unique bagless twin bin with large dust capacity canister | Ultra lightweight 6.3kg body ■ Clean air filtration ■ Edge-to-edge cleaning ■ Versatile tool kit stored on-board
■ Automatic floating head.





The MC E4000 series features a unique TWIN BIN BIG **CAPACITY** canister, dramatically increasing the capacity of the canister to 4 litres. Weighing in at just 6.3kgs all models are **ULTRA LIGHTWEIGHT**, easy to manoeuvre and carry with the integral CARRY HANDLE. A range of accessory tools are neatly stored on the back of the cleaner. The MC E4015 also comes with a TURBO BRUSH, which is ideal for picking up pet hairs.



MC E4015 bagless upright cleaner

■ 1800W motor with Turbo brush ■ Unique bagless twin bin with large dust capacity canister | Ultra filtration system | Edge-to-edge cleaning | Versatile tool kit stored on-board | Automatic floating head.
























upright vacuums

bagged upright cleaners

Unique 5 stage filtration

A bagless system with easy release, sealed lid canister for quick, clean emptying.

5 STAGE FILTRATION extracts virtually all dust particles with HEPA FILTRATION (not featured on the MC E468) extracting particles down to 0.3 microns. SUPER LIGHTWEIGHT makes for easy handling in those more awkward areas. The FLOATING HEAD automatically adjusts to different floor surfaces with EDGE-TO-EDGE cleaning right up to the skirting board.





MC E468 bagged upright cleaner

▮ 1600W motor ▮ Lightweight 6.1Kg body 5 level electrostatic clean air filtration system | Large 6.1 litre dustbag capacity | Edge-to-egde cleaning | Flexible on board extension hose and tools Automatic floating head Beater bar on/off switch












MC E481 bagged upright cleaner

 \blacksquare 1800W motor \blacksquare Super lightweight 6.1kg body \blacksquare 5 level lifetime HEPA filtration system ■ Large 6.1 litre dustbag capacity I Edge-to-edge cleaning and anti scratch base to protect hard floors | Flexible on-board extension hose and tools | Automatic floating head | Beater bar on/off switch





Upright Vacuums • Key Features Menu

















cylinder vacuums

twin bin bagless cylinder cleaners

Unique bagless big capacity system.

Modern, compact styling with large capacity canister for maximum convenience.

The MC E8000 series features a unique TWIN BIN BIG CAPACITY canister for less frequent emptying. The canister is simple and quick to remove using the integral carrying handle. The UNIQUE PRE-FILTER SYSTEM enables the cleaner to operate even when sitting upright - ideal when vacuuming the stairs.









■ 1900W motor ■ Super lightweight 5.6kg body ■ Deluxe floorhead, for parquet floors | Unique bagless twin bin canister system | HEPA filtration system I Huge 3.5 litre easy-to-empty dust bin I Washable filter | 180° motion, ideal for cleaning stairs | Telescopic metal extension tubes




























cylinder vacuums

bagless cylinder cleaners


What's the difference?

The efficiency of the airflow through any vacuum cleaner is fundamental to its performance. The MC E6003 is fitted with a NEW CleanStream® HEPA Filter that traps dust and dirt on the outside of the filter, while allowing air to pass through, improving the cleaning efficiency. The slippery surface is easy to clean with a quick tap, or rinse under running water.

CleanStream® filters resist permanent clogging, allowing suction to stay longer producing consistent performance over the lifetime of the vacuum cleaner. Due to the very light weight of the cleaner – just 3.2kg, the MC E6003 comes with a







cylinder vacuums

MC 4620 • bagless cylinder cleaner




centrifugal force compression system

Cefcos creates a spiralling system within the dust canister which compresses the dust and debris away from the filter creating a strong and powerful suction even as the canister continues to fill. The force of the centrifugal airflow compacts the dust within the canister allowing over twice the amount of dust to be collected when compared to previous models of this size.



5-stage filtration system

After entering the vacuum, air is cleaned as it passes through 5 filters before it is expelled as exhaust air. Since a swirling air stream cleans the pre-filter to prevent blockage, you get a long-lasting and powerful suction.



Cylinder Vacuums • Key Features Menu



















Panasonic

cylinder vacuums

bagged cylinder cleaners

Powerful, manoeuvrable and versatile bagged cylinder cleaner.

The MC E7000 series is a compact range of powerful cylinder cleaners. Lightweight and easy to use these cleaners will simply follow you everywhere! Fully equiped with extention or telescopic tubes and tool storage, dust bag indicator and cord rewind these versitile cleaners will take the effort out of cleaning.



MC E7305 • bagged cylinder cleaner

chrome tubes

2 4 5 6 7



1800W

Cylinder Vacuums • Key Features Menu



filtration system | Dust bag full indicator | Cord rewind

I Chrome extension rods













men's shavers

bagged cylinder cleaners



MC E7101 • bagged cylinder

cylinder vacuums

■ 1400W motor ■ Bagged cylinder cleaner ■ Clean air filtration system ■ Dust bag full indicator ■ Cord rewind ■ Plastic extension rods







MC E7103 • bagged cylinder

I 1500W motor I Bagged compact cylinder I Clean air filtration system | Dust bag full indicator | Cord rewind I Metal extension rods























men's wet or dry shaving

Panasonic shavers boast a variety of features designed to ensure a fast, efficient and smooth shave. WET AND DRY gives greater versatility as well as enabling EASY CLEANING. LINEAR DRIVE motor technology gives fast motor speed and a quick and smooth shave. The ERGONOMIC DESIGN and S-Curve Profile adds to the comfort, comfortable to hold and use! Plus, the ES 8093's MULTI DIRECTIONAL PIVOTING HEAD follows the contours of your face in any direction.











| Wet-Dry | RC | Washable shaver for easy cleaning | Multi-direction pivoting head | Fast 13,000 rpm Linear motor / Multi Angle Floating 3-Head (w/slit blade) Turbo Cleaning mode for easy maintenance LCD display shows: remaining battery indicator in 10% increments, Cleaning reminder, Charge status indicator Slide up Trimmer | Charge Time 1 hour, 45 min operating time | Power source 100-240v | Accessories: Deluxe Travel Pouch, Cleaning brush, Charge adapter.





| Washable shaver for easy cleaning | AC/RC | Fast 13,000 rpm Linear motor Independently floating triple heads | Battery capacity lamp | Charge status lamp | Pop up Trimmer | Charge Time 1 hour, 45 min operating time | Power

source 100-240v | Accessories: Travel Pouch, Cleaning brush, A/C recharge cord





| Washable shaver for easy cleaning | AC/RC | 10,000 rpm motor | Independently floating triple heads | Battery Capacity lamp glows three different colours (Green 100-30%, Orange 30-10%, Red 10-0%) | Pop up Trimmer | Charge Time 1 hour, 60 min operating time | Power source 100-240v | Accessories: Travel pouch, Cleaning brush, A/C recharge cord.

ES 7026 • shaver




floating triple heads | Low Battery Indicator | Pop up Trimmer | Charge Time 1 hour, 60 min operating time | Power source 100-240v Accessories: Travel pouch, Cleaning Brush,

A/C recharge cord.

ES 4025 • shaver



Wet-Dry RC Washable shaver for easy cleaning 8,800 rpm motor | Floating twin heads | Charge Indicator | Pop Power source 220-240v Accessories: Travel pouch, Cleaning Brush, Charging Adapter.





















microwaves


microwaves

dimension 4

| MODEL | Auto sensor NN A813A | Auto sensor NN A8735 | Auto sensor NN A823M | Auto sensor NN A883W | |
|---|-----------------------|-----------------------------|-----------------------------|----------------------|-------------------|
| Colour | Aluminium | Stainless Steel | Metallic Silver | White | |
| Inverter | • | • | • | • | |
| Auto Guide | • | • | • | • | |
| Child Lock | • | • | • | • | |
| Fan Assisted Convection Oven: | | | | | |
| 40, 100-250°C | • | • | • | • | |
| Turbo Bake | • | • | • | • | |
| Grill: 1.5kw Radiant | • | • | • | • | |
| 1.3kw Quartz | - | - | - | - | |
| Combination - Fully Adjustable: | • | • | • | • | |
| Sensor Combination | • | • | • | • | |
| Auto Weight Cook Auto Weight Reheat | • | | • | | |
| - v | 16 | 16 | | 16 | |
| Auto Programs Microwave - 100-1000W (IEC): | | | 16 | | |
| 6 Power Levels | • | | • | • | |
| Auto Sensor | | | | | |
| Auto Weight Chaos Defrost | • | • | • | • | |
| Auto Weight Cook | - | - | - | - | |
| Auto Weight Reheat | - | - | - | - | |
| MAFF Reheat Code - E | • | • | • | • | |
| Turntable Size - 34cm (13¹/4ins) | • | • | • | • | |
| Multi-stage memory - 3 Stage | • | • | • | • | |
| Delay Start/Stand - 9hrs 99mins | • | • | • | • | |
| Power Requirements - 230-240V 50Hz | • | • | • | • | |
| Microwave | 1300W | 1300W | 1300W | 1300W | |
| Heater | 2840W | 2840W | 2840W | 2840W | |
| Oven Capacity: | | | | | |
| 1.1cu.ft (32litres) 1.0cu.ft (27litres) | • | • | • | • | |
| Interior: | | - | - | | |
| Enamel Lining with Catalytic Roof | | | | | |
| Stainless Steel with Calalytic Back | _ | | _ | _ | |
| Stainless Steel Lining | - | - | - | - | |
| Interior Dimensions (w x d x h mm) | 350 x 360 x 250 | 350 x 360 x 250 | 350 x 360 x 250 | 350 x 360 x 250 | |
| Exterior Dimensions (w x d x h mm) | 530 x 508 x 344 | 530 x 508 x 344 | 530 x 508 x 344 | 530 x 508 x 344 | |
| Approx. Weight | 24kg | 24kg | 24kg | 24kg | |
| EAN Nos | 5025232266999 | 5025232267002 | 5025232288632 | 5025232267026 | |
| | | | | | |
| | C | | | | CI: I: |
| | Compact | Compact | Compact | Compact | Slimline |
| MODEL | NN A714A | Compact NN A774S | NN A724M | NN A754W | NN A554W |
| | <u> </u> | | | | |
| Colour | NN A714A | NN A774S | NN A724M | NN A754W | NN A554W |
| Colour Inverter | NN A714A Aluminium | NN A774S Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |
| Colour Inverter Auto Guide | NN A714A Aluminium | NN A774S Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |
| Colour Inverter Auto Guide Child Lock | NN A714A Aluminium | NN A774S Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |
| Colour Inverter Auto Guide Child Lock Fan Assisted Convection Oven: | NN A714A Aluminium | NN A7745 Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |
| Colour Inverter Auto Guide Child Lock Fan Assisted Convection Oven: 40, 100-250°C | NN A714A Aluminium | NN A774S Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |
| Colour Inverter Auto Guide Child Lock Fan Assisted Convection Oven: 40, 100-250°C 100-220°C | NN A714A Aluminium | NN A7745 Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |
| Colour Inverter Auto Guide Child Lock Fan Assisted Convection Oven: 40, 100-250°C 100-220°C Turbo Bake | NN A714A Aluminium | NN A7745 Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |
| Colour Inverter Auto Guide Child Lock Fan Assisted Convection Oven: 40, 100-250°C 100-220°C Turbo Bake Grill: 1.5kw Radiant | NN A714A Aluminium | NN A7745 Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |
| Colour Inverter Auto Guide Child Lock Fan Assisted Convection Oven: 40, 100-250°C 100-220°C Turbo Bake Grill: 1.5kw Radiant 1.3kw Quartz | NN A714A Aluminium | NN A7745 Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |
| Colour Inverter Auto Guide Child Lock Fan Assisted Convection Oven: 40, 100-250°C 100-220°C Turbo Bake Grill: 1.5kw Radiant 1.3kw Quartz | NN A714A Aluminium | NN A7745 Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |
| Colour Inverter Auto Guide Child Lock Fan Assisted Convection Oven: 40, 100-250°C 100-220°C Turbo Bake Grill: 1.5kw Radiant 1.3kw Quartz Combination - Fully Adjustable: | NN A714A Aluminium | NN A7745 Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |
| Colour Inverter Auto Guide Child Lock Fan Assisted Convection Oven: 40, 100-250°C 100-220°C Turbo Bake Grill: 1.5kw Radiant 1.3kw Quartz Combination - Fully Adjustable: Sensor Combination | NN A714A Aluminium | NN A774S Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |
| Colour Inverter Auto Guide Child Lock Fan Assisted Convection Oven: 40, 100-250°C 100-220°C Turbo Bake Grill: 1.5kw Radiant 1.3kw Quartz Combination - Fully Adjustable: Sensor Combination Auto Weight Cook Auto Weight Reheat | NN A714A Aluminium | NN A7745 Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |
| Colour Inverter Auto Guide Child Lock Fan Assisted Convection Oven: 40, 100-250°C 100-220°C Turbo Bake Grill: 1.5kw Radiant 1.3kw Quartz Combination - Fully Adjustable: Sensor Combination Auto Weight Cook Auto Weight Reheat Auto Programs | NN A714A Aluminium | NN A774S Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |
| Colour Inverter Auto Guide Child Lock Fan Assisted Convection Oven: 40, 100-250°C 100-220°C Turbo Bake Grill: 1.5kw Radiant 1.3kw Quartz Combination - Fully Adjustable: Sensor Combination Auto Weight Cook Auto Weight Reheat Auto Programs Microwave - 100-1000W (IEC): 6 Power Levels | NN A714A Aluminium | NN A774S Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |
| Colour Inverter Auto Guide Child Lock Fan Assisted Convection Oven: 40, 100-250°C 100-220°C Turbo Bake Grill: 1.5kw Radiant 1.3kw Quartz Combination - Fully Adjustable: Sensor Combination Auto Weight Cook Auto Weight Reheat Auto Programs Microwave - 100-1000W (IEC): 6 Power Levels Auto Sensor | NN A714A Aluminium | NN A774S Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |
| Colour Inverter Auto Guide Child Lock Fan Assisted Convection Oven: 40, 100-250°C 100-220°C Turbo Bake Grill: 1.5kw Radiant 1.3kw Quartz Combination - Fully Adjustable: Sensor Combination Auto Weight Cook Auto Weight Reheat Auto Programs Microwave - 100-1000W (IEC): 6 Power Levels Auto Sensor Auto Weight Chaos Defrost | NN A714A Aluminium | NN A774S Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |
| Colour Inverter Auto Guide Child Lock Fan Assisted Convection Oven: 40, 100-250°C 100-220°C Turbo Bake Grill: 1.5kw Radiant 1.3kw Quartz Combination - Fully Adjustable: Sensor Combination Auto Weight Cook Auto Weight Reheat Auto Programs Microwave - 100-1000W (IEC): 6 Power Levels Auto Weight Chaos Defrost Auto Weight Chaos Defrost Auto Weight Cook | NN A714A Aluminium | NN A774S Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |
| Colour Inverter Auto Guide Child Lock Fan Assisted Convection Oven: 40, 100-250°C 100-220°C Turbo Bake Grill: 1.5kw Radiant 1.3kw Quartz Combination - Fully Adjustable: Sensor Combination Auto Weight Cook Auto Weight Reheat Auto Programs Microwave - 100-1000W (IEC): 6 Power Levels Auto Sensor Auto Weight Chaos Defrost Auto Weight Cook Auto Weight Reheat | NN A714A Aluminium | NN A774S Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |
| Colour Inverter Auto Guide Child Lock Fan Assisted Convection Oven: 40, 100-250°C 100-220°C Turbo Bake Grill: 1.5kw Radiant 1.3kw Quartz Combination - Fully Adjustable: Sensor Combination Auto Weight Cook Auto Weight Reheat Auto Programs Microwave - 100-1000W (IEC): 6 Power Levels Auto Sensor Auto Weight Chaos Defrost Auto Weight Cook Auto Weight Reheat MAFF Reheat Code - E | NN A714A Aluminium | NN A774S Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |
| Colour Inverter Auto Guide Child Lock Fan Assisted Convection Oven: 40, 100-250°C 100-220°C Turbo Bake Grill: 1.5kw Radiant 1.3kw Quartz Combination - Fully Adjustable: Sensor Combination Auto Weight Cook Auto Weight Reheat Auto Programs Microwave - 100-1000W (IEC): 6 Power Levels Auto Sensor Auto Weight Chaos Defrost Auto Weight Cook Auto Weight Reheat MAFF Reheat Code - E Turntable Size - 34cm (13'/4ins) | NN A714A Aluminium | NN A774S Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |
| Colour Inverter Auto Guide Child Lock Fan Assisted Convection Oven: 40, 100-250°C 100-220°C Turbo Bake Grill: 1.5kw Radiant 1.3kw Quartz Combination - Fully Adjustable: Sensor Combination Auto Weight Cook Auto Weight Reheat Auto Programs Microwave - 100-1000W (IEC): 6 Power Levels Auto Sensor Auto Weight Chaos Defrost Auto Weight Cook Auto Weight Cook Auto Weight Cook Auto Weight Reheat MAFF Reheat Code - E Turntable Size - 34cm (13'/4ins) Multi-stage memory - 3 Stage | NN A714A Aluminium | NN A774S Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |
| Colour Inverter Auto Guide Child Lock Fan Assisted Convection Oven: 40, 100-250°C 100-220°C Turbo Bake Grill: 1.5kw Radiant 1.3kw Quartz Combination - Fully Adjustable: Sensor Combination Auto Weight Cook Auto Weight Reheat Auto Programs Microwave - 100-1000W (IEC): 6 Power Levels Auto Sensor Auto Weight Chaos Defrost Auto Weight Cook Auto Weight Cook Auto Weight Reheat MAFF Reheat Code - E Turntable Size - 34cm (13'/4ins) Multi-stage memory - 3 Stage Delay Start/Stand - 9hrs 99mins | NN A714A Aluminium | NN A774S Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |
| Colour Inverter Auto Guide Child Lock Fan Assisted Convection Oven: 40, 100-250°C 100-220°C Turbo Bake Grill: 1.5kw Radiant 1.3kw Quartz Combination - Fully Adjustable: Sensor Combination Auto Weight Cook Auto Weight Reheat Auto Programs Microwave - 100-1000W (IEC): 6 Power Levels Auto Sensor Auto Weight Cook Auto Weight Chaos Defrost Auto Weight Cook Auto Weight Reheat MAFF Reheat Code - E Turntable Size - 34cm (13'/4ins) Multi-stage memory - 3 Stage Delay Start/Stand - 9hrs 99mins Power Requirements - 230-240V 50Hz | NN A714A Aluminium | NN A774S Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |
| Colour Inverter Auto Guide Child Lock Fan Assisted Convection Oven: 40, 100-250°C 100-220°C Turbo Bake Grill: 1.5kw Radiant 1.3kw Quartz Combination - Fully Adjustable: Sensor Combination Auto Weight Cook Auto Weight Reheat Auto Programs Microwave - 100-1000W (IEC): 6 Power Levels Auto Sensor Auto Weight Chaos Defrost Auto Weight Chook Auto Weight Reheat MAFF Reheat Code - E Turntable Size - 34cm (13'/4ins) Multi-stage memory - 3 Stage Delay Start/Stand - 9hrs 99mins Power Requirements - 230-240V 50Hz Microwave | NN A714A Aluminium | NN A774S Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |
| Colour Inverter Auto Guide Child Lock Fan Assisted Convection Oven: 40, 100-250°C 100-220°C Turbo Bake Grill: 1.5kw Radiant 1.3kw Quartz Combination - Fully Adjustable: Sensor Combination Auto Weight Cook Auto Weight Reheat Auto Programs Microwave - 100-1000W (IEC): 6 Power Levels Auto Sensor Auto Weight Chaos Defrost Auto Weight Cook Auto Weight Reheat MAFF Reheat Code - E Turntable Size - 34cm (13'/4ins) Multi-stage memory - 3 Stage Delay Start/Stand - 9hrs 99mins Power Requirements - 230-240V 50Hz Microwave Heater | NN A714A Aluminium | NN A774S Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |
| Colour Inverter Auto Guide Child Lock Fan Assisted Convection Oven: 40, 100-250°C 100-220°C Turbo Bake Grill: 1.5kw Radiant 1.3kw Quartz Combination - Fully Adjustable: Sensor Combination Auto Weight Cook Auto Weight Reheat Auto Programs Microwave - 100-1000W (IEC): 6 Power Levels Auto Sensor Auto Weight Chaos Defrost Auto Weight Cook Auto Weight Cook Auto Weight Reheat MAFF Reheat Code - E Turntable Size - 34cm (13'/4ins) Multi-stage memory - 3 Stage Delay Start/Stand - 9hrs 99mins Power Requirements - 230-240V 50Hz Microwave Heater Oven Capacity: | NN A714A Aluminium | NN A774S Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |
| Colour Inverter Auto Guide Child Lock Fan Assisted Convection Oven: 40, 100-250°C 100-220°C Turbo Bake Grill: 1.5kw Radiant 1.3kw Quartz Combination - Fully Adjustable: Sensor Combination Auto Weight Cook Auto Weight Reheat Auto Programs Microwave - 100-1000W (IEC): 6 Power Levels Auto Sensor Auto Weight Chaos Defrost Auto Weight Cook Auto Weight Reheat MAFF Reheat Code - E Turntable Size - 34cm (13'/4ins) Multi-stage memory - 3 Stage Delay Start/Stand - 9hrs 99mins Power Requirements - 230-240V 50Hz Microwave Heater | NN A714A Aluminium | NN A774S Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |
| Colour Inverter Auto Guide Child Lock Fan Assisted Convection Oven: 40, 100-250°C 100-220°C Turbo Bake Grill: 1.5kw Radiant 1.3kw Quartz Combination - Fully Adjustable: Sensor Combination Auto Weight Cook Auto Weight Reheat Auto Programs Microwave - 100-1000W (IEC): 6 Power Levels Auto Sensor Auto Weight Chaos Defrost Auto Weight Cook Auto Weight Reheat MAFF Reheat Code - E Turntable Size - 34cm (13'/4ins) Multi-stage memory - 3 Stage Delay Start/Stand - 9hrs 99mins Power Requirements - 230-240V 50Hz Microwave Heater Oven Capacity: 1.1cu.ft (32litres) 1.0cu.ft (27litres) | NN A714A Aluminium | NN A774S Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |
| Colour Inverter Auto Guide Child Lock Fan Assisted Convection Oven: 40, 100-250°C 100-220°C Turbo Bake Grill: 1.5kw Radiant 1.3kw Quartz Combination - Fully Adjustable: Sensor Combination Auto Weight Cook Auto Weight Reheat Auto Programs Microwave - 100-1000W (IEC): 6 Power Levels Auto Sensor Auto Weight Chaos Defrost Auto Weight Cook Auto Weight Reheat MAFF Reheat Code - E Turntable Size - 34cm (13'/4ins) Multi-stage memory - 3 Stage Delay Start/Stand - 9hrs 99mins Power Requirements - 230-240V 50Hz Microwave Heater Oven Capacity: 1.1cu.ft (32litres) 1.0cu.ft (27litres) | NN A714A Aluminium | NN A774S Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |
| Colour Inverter Auto Guide Child Lock Fan Assisted Convection Oven: 40, 100-250°C 100-220°C Turbo Bake Grill: 1.5kw Radiant 1.3kw Quartz Combination - Fully Adjustable: Sensor Combination Auto Weight Cook Auto Weight Reheat Auto Programs Microwave - 100-1000W (IEC): 6 Power Levels Auto Sensor Auto Weight Chaos Defrost Auto Weight Cook Auto Weight Reheat MAFF Reheat Code - E Turntable Size - 34cm (13'/ains) Multi-stage memory - 3 Stage Delay Start/Stand - 9hrs 99mins Power Requirements - 230-240V 50Hz Microwave Heater Oven Capacity: 1.1cu.ft (32litres) 1.0cu.ft (27litres) Interior: Enamel Lining with Catalytic Roof Stainless Steel with Calalytic Back | NN A714A Aluminium | NN A7745 Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |
| Colour Inverter Auto Guide Child Lock Fan Assisted Convection Oven: | NN A714A Aluminium | NN A774S Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |
| Colour Inverter Auto Guide Child Lock Fan Assisted Convection Oven: 40, 100-250°C 100-220°C Turbo Bake Grill: 1.5kw Radiant 1.3kw Quartz Combination - Fully Adjustable: Sensor Combination Auto Weight Cook Auto Weight Reheat Auto Programs Microwave - 100-1000W (IEC): 6 Power Levels Auto Sensor Auto Weight Cook Auto Weight Reheat MAFF Reheat Code - E Turntable Size - 34cm (13'/4ins) Multi-stage memory - 3 Stage Delay Start/Stand - 9hrs 99mins Power Requirements - 230-240V 50Hz Microwave Heater Oven Capacity: 1.1cu.ft (32litres) 1.0cu.ft (27litres) Interior: Enamel Lining with Catalytic Roof Stainless Steel with Calalytic Back Stainless Steel Lining Interior Dimensions (w x d x h mm) | NN A714A Aluminium | NN A774S Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |
| Colour Inverter Auto Guide Child Lock Fan Assisted Convection Oven: 40, 100-250°C 100-220°C Turbo Bake Grill: 1.5kw Radiant 1.3kw Quartz Combination - Fully Adjustable: Sensor Combination Auto Weight Cook Auto Weight Reheat Auto Programs Microwave - 100-1000W (IEC): 6 Power Levels Auto Sensor Auto Weight Cook Auto Weight Reheat MAFF Reheat Code - E Turntable Size - 34cm (13'/4ins) Multi-stage memory - 3 Stage Delay Start/Stand - 9hrs 99mins Power Requirements - 230-240V 50Hz Microwave Heater Oven Capacity: 1.1cu.ft (32litres) 1.0cu.ft (27litres) Interior: Enamel Lining with Catalytic Roof Stainless Steel with Calalytic Back Stainless Steel Lining Interior Dimensions (w x d x h mm) | NN A714A Aluminium | NN A774S Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |
| 100-220°C Turbo Bake Grill: 1.5kw Radiant 1.3kw Quartz Combination - Fully Adjustable: Sensor Combination Auto Weight Cook Auto Weight Reheat Auto Programs Microwave - 100-1000W (IEC): 6 Power Levels Auto Sensor Auto Weight Chaos Defrost Auto Weight Cook Auto Weight Cook Auto Weight Reheat MAFF Reheat Code - E Turntable Size - 34cm (13'/4ins) Multi-stage memory - 3 Stage Delay Start/Stand - 9hrs 99mins Power Requirements - 230-240V 50Hz Microwave Heater Oven Capacity: 1.1cu.ft (32litres) 1.0cu.ft (27litres) Interior: Enamel Lining with Catalytic Roof Stainless Steel with Calalytic Back | NN A714A Aluminium | NN A774S Stainless Steel | NN A724M Metallic Silver | NN A754W White | NN A554W White |







micro & browner Auto Weight Auto Weight Auto Weight Compact Compact Auto Weight Compact Auto Weight MODEL NN V673S NN V623M NN V653C NN V653W NN K123M NN K153W NN K103W Colour Stainless Steel Metallic Silver Brown White Metallic Silver White White Inverter Auto Guide Child Lock Grill: 1.3kw Quartz Combination: Fully Adjustable: Adiustable Preset Auto Weight Cook Auto Weight Reheat Auto Programs Microwave - 100-900W (IEC): - 100-800W (IEC): Power Levels Auto Weight Chaos Defrost Auto Weight Cook Auto Weight Reheat MAFF Reheat Code - E Turntable Size - 34cm (13¹/4ins) - 24.5cm (9¹/2ins) Multi-stage memory - 3 Stage Delay Start/Stand - 9hrs 99mins Power Requirements: 230-240V 50Hz 1260W 1350W 1250W 1130W 1250W 1130W 1300W 1260W 1260W 1250W Microwave 1350W 1130W Oven Capacity: 1.0cu.ft (27litres) 0.7cu.ft (20litres) Stainless Steel Acrylic Interior Dimensions (w x d x h mm) Exterior Dimensions (w x d x h mm) 359 x 352 x 217 510 x 380 x 304 359 x 352 x 217 510 x 380 x 304 359 x 352 x 217 510 x 380 x 304 359 x 352 x 217 510 x 380 x 304 325 x 330 x 191 484 x 357 x 282 325 x 330 x 191 484 x 357 x 282 325 x 330 x 191 484 x 357 x 282 Approx. Weight 12.5kg 12.5kg 12.5kg 12.5kg 13.6kg 13.6kg 13.6kg 5025232267088 5025232267095 5025232267125 5025232267101 5025232264803 5025232264810 5025232264827

| microwaves | | | | | | | | |
|--|------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|
| | Auto Weight | Auto Weight | Auto Weight | Auto Weight | Compact Auto Weight | Compact Auto Weight | Compact Auto Weight | Compact Dial |
| MODEL | NN T573S | NN T523M | NN T553W | NN T543W | NN E222M | NN E252W | NN E273S | NN E202W |
| Colour | Stainless Steel | Metallic Silver | White | White | Metallic Silver | White | Stainless Steel | White |
| Inverter | • | • | • | • | - | - | - | - |
| Auto Guide | • | • | • | • | - | - | - | - |
| Child Lock | • | • | • | • | • | • | • | - |
| Auto Programs | 8 | 8 | 8 | 6 | 6 | 6 | 6 | - |
| Microwave: 100-900W (IEC) 250-900W (IEC) 100-800W (IEC) Power Levels Auto Weight Chaos Defrost | - - - 6 | - - - 6 | - - - 6 | - - 7 | - - - 5 - | - - 5 - | - - 5 - | - - 5 - |
| Auto Weight Defrost Auto Weight Cook Auto Weight Reheat | - | • | - | - | | • | • | - |
| MAFF Reheat Code - E | • | • | • | • | • | • | • | • |
| Turntable Size - 34cm (13 ¹ /4ins) - 24.5cm (9 ¹ /2ins) | • | • | • | • - | - | - | - | - |
| Multi-stage memory: 3 Stage 2 Stage Delay Start/Stand - 9hrs 99mins | - | - | - | - | - | - | - | |
| Power Requirements: 230-240V 50Hz Microwave | 1300W | 1260W | 1260W | 1160W | 1200W | 1200W | 1200W | 1200W |
| Oven Capacity: 1.0cu.ft (27litres) 0.7cu.ft (20litres) | • | • | • | • | - | - | - | - |
| Interior: Stainless Steel Acrylic | • | • | • | - | - | - | - | - |
| Interior Dimensions (w x d x h mm) Exterior Dimensions (w x d x h mm) | 359 x 352 x 217 510 x 380 x 304 | 359 x 352 x 217 510 x 380 x 304 | 359 x 352 x 217 510 x 380 x 304 | 359 x 352 x 217 510 x 380 x 304 | 310 x 294 x 205 455 x 313 x 281 | 310 x 294 x 205 455 x 313 x 281 | 310 x 294 x 205 455 x 313 x 281 | 310 x 294 x 205 455 x 313 x 281 |
| Approx. Weight | 11.5kg | 11.5kg | 11.5kg | 11.5kg | 12kg | 12kg | 12kg | 12kg |
| EAN Nos | 5025232282852 | 5025232267149 | 5025232267156 | 5025232267170 | 5025232239771 | 5025232239795 | 5025232296378 | 5025232239788 |

floorcare


microwaves, breadmaker, shavers

building in your panasonic oven

| Trim kits are available for most of our ovens | When building-in we recommend that models are placed below a Conventional Oven to avoid over-heating, when installing in a standard oven housing | If you install any Microwave Oven above a built-in Conventional Oven a gap of at least 15cm (6ins) is required from the top of the Conventional Oven casing to the bottom of the microwave oven casing | It is important that these ovens draw in cool air. When building-in, the CORRECT Panasonic Trim Kit must be used | For safety, microwaves must always be built-in at least 850mm above floor height especially if small children have access to the kitchen.

| DIMENSION 4 MODEL | NN A883W | NN A823M | NN A873S | NN A813A |
|-----------------------------------|-------------|-------------|------------------------|-------------|
| Build-in Kit No. | NN TKA80W | NN TKA80M | NN TKA80M [†] | NN TKA81A |
| Aperture required (w x h cm) | 56.2 x 45 | 56.2 x 45 | 56.2 x 45 | 56.2 x 45 |
| Size when kit in place (w x h cm) | 59.6 x 45.8 | 59.6 x 45.8 | 59.6 x 45.8 | 59.6 x 45.8 |
| DIMENSION 4 MODEL | NN A754W | NN A724M | NN A774S | NN A714A |
| Build-in Kit No. | NN TKA70W | NN TKA70M | | NN TKA70A |
| Aperture required (w x h cm) | 56.2 x 39.5 | 56.2 x 39.5 | | 56.2 x 39.5 |
| Size when kit in place (w x h cm) | 59.5 x 41.6 | 59.5 x 41.6 | | 59.5 x 41.6 |
| MICRO & BROWNER MODEL | NN V653W | NN V653C | NN V623M | NN V673S |
| Build-in Kit No. | NN TKV63W | NN TKV63C | NN TKV63M | |
| Aperture required (w x h cm) | 56.2 x 39.5 | 56.2 x 39.5 | 56.2 x 39.5 | _ |
| Size when kit in place (w x h cm) | 59.5 x 41.6 | 59.5 x 41.6 | 59.5 x 41.6 | _ |
| MICRO & BROWNER MODEL | NN K153W | NN K123M | NN K103W | |
| Build-in Kit No. | | | | |
| Aperture required (w x h cm) | | | | |
| Size when kit in place (w x h cm) | | | | |
| MICROWAVE MODEL | NN T553W | NN T523M | NN T573S | NN T543W |
| Build-in Kit No. | NN TKV63W | NN TKV63M | NN TKV63M [†] | NN TKV63W |
| Aperture required (w x h cm) | 56.2 x 39.5 | 56.2 x 39.5 | 56.2 x 39.5 | 56.2 x 39.5 |
| Size when kit in place (w x h cm) | 59.5 x 41.6 | 59.5 x 41.6 | 59.5 x 41.6 | 59.5 x 41.6 |
| MICROWAVE MODEL | NN E252W | NN E222M | NN E202W | NN E273S |
| Build-in Kit No. | | | | |
| Aperture required (w x h cm) | | | | |
| Size when kit in place (w x h cm) | | | | |





| Ovens placed on a worktop must have sufficient airflow around them | We recommend these spaces are allowed.

| Not available for this model - not designed to be built in |
|---|
| [†] Metallic Silver finish trim kit available for this stainless steel model |

| breadmakers | | | | | | |
|------------------------|--|---|--|--|--|--|
| MODEL NO. | SD 253 | SD 252 | | | | |
| Power Supply | 230-240V AC 50Hz | 230-240V AC 50Hz | | | | |
| Power Consumed | Maximum 550W | Maximum 550W | | | | |
| Timer | Digital Timer (up to 13 hours) | Digital Timer (up to 13 hours) | | | | |
| Protective Device | 10 minute power interruption protection. Self-resetting motor protection | 10 minute power interruption protection. Self-resetting motor protection | | | | |
| Dimensions (h x w x d) | 37.0 x 34.0 x 26.0 cm | 35.5 x 34.0 x 23.2cm | | | | |
| Weight | approx 7.5 kg | approx 7.1 kg | | | | |
| Accessories | Measuring cup (240ml), Measuring spoon UK Recipe Book: Comprehensive recipe book including over 100 bread and dough recipes. | Measuring cup (240ml), Measuring spoon UK Recipe Book: Comprehensive recipe book including over 70 bread and dough recipes. | | | | |

5025232320943

Specifications are subject to change without notice

| MODEL | ES 8093 | ES 8017 | ES 7027 | ES 7026 | ES 4025 |
|---------------------------------|---------------|---------------|--------------|-------------|--------------|
| Colour | Black/Silver | Blue/Silver | Black/Silver | Blue/Silver | Blue/Silver |
| Wet/Dry | • | - | - | - | • |
| Multi-Directional Pivoting Head | • | - | - | - | - |
| S-Curve Profile | • | • | • | • | • |
| Linear Motor | • | • | - | - | _ |
| Washable | • | • | • | • | • |
| Power Source | 100-240V | 100-240V | 100-240V | 100-240V | 220-240V |
| RC or AC/RC | RC | AC/RC | AC/RC | AC/RC | RC |
| Charging Time (hours) | 1 | 1 | 1 | 1 | 8 |
| EAN Nos | 5025232280063 | 5025232274222 | | | 502523227420 |

upright vacuum cleaners

| MODEL | MC E4015 | MC E4013 | MC E4011 | MC E481 | MC E480 | MC E468 |
|---------------------------|-----------|---------------|---------------|---------------|---------------|---------------|
| Colour | Gun Metal | Metallic Red | Black | Blue | Red | White |
| Max. Motor Power | 1800W | 1800W | 1700W | 1800W | 1700W | 1600W |
| Accessories/Tools | 3 | 3 | 3 | 3 | 3 | 3 |
| On Board Tool Storage | • | • | • | • | • | • |
| Edge-to-edge Cleaning | • | • | • | • | • | • |
| HEPA Filter | • | • | - | • | • | - |
| Electrostatic Filtration | - | - | • | - | - | • |
| Automatic Floating Head | • | • | • | • | • | • |
| Bagless Technology | • | • | • | - | - | - |
| TwinBin Technology | • | • | • | - | - | - |
| Bag/Bin Full Indicator | • | • | • | • | • | • |
| Bag/Bin Capacity (litres) | 4 | 4 | 4 | 6.1 | 6.1 | 6.1 |
| Beater Bar Stop Facility | - | - | - | • | - | • |
| Cord length (metres) | 11.0 | 6.7 | 6.7 | 6.7 | 6.7 | 6.7 |
| Weight (Kg) | 6.3 | 6.3 | 6.3 | 6.1 | 6.1 | 6.1 |
| Dustbag | - | - | - | U20 | U20 | U20 |
| EAN Nos | TBC | 5025232314423 | 5025232307616 | 5025232307609 | 5025232307593 | 5025232199440 |

cylinder vacuum cleaners

| MODEL | MC E8015 | MC E8013 | MC E8011 | MC E6003 | MC 4620 |
|---|---|---|---|---|---|
| Colour | Metallic Blue/Silver | Black/Silver | Green | Blue/Silver | Blue/Silver |
| Max. Motor Power | 1900W | 1900W | 1800W | 1600W | 1400W |
| Accessories/Tools | 2 | 2 | 2 | 2 | 2 |
| Floorhead: Standard | • | • | • | • | • |
| Superflexible | - | - | - | - | - |
| Turbo Brush Deluxe (Hard Floor) | - | - | - | - | - |
| Adjustable Floor Head | • | • | - | - | |
| Hose Type: Anthracite Telescopic | • | • | • | | |
| Chrome Telescopic | <u> </u> | _ | | _ | _ |
| 2 Piece Chrome | - | - | - | • | • |
| 2 Piece Plastic | - | - | - | - | - |
| Variable Power | • | • | • | • | - |
| Bagless Technology | • | • | • | • | • |
| TwinBin Technology | • | • | • | _ | _ |
| On Board Tool Storage | • | • | • | • | • |
| Swivel Hose | • | • | • | • | • |
| HEPA Filter | • | • | - | • | - |
| Electrostatic Filtration | - | - | • | - | • |
| Bag/Bin Full Indicator | - | - | - | • | • |
| Bag/Bin Capacity (litres) | 3.5 | 3.5 | 3.5 | 3.2 | 2.0 |
| Cord Rewind | • | • | • | • | • |
| Cord length (metres) | 6.5 | 6.5 | 6.5 | 6.5 | 5.0 |
| Weight (Kg) | 5.5 | 5.5 | 5.5 | 3.2 | 5.5 |
| Dustbag | - | - | - | - | - |
| EAN Nos | 5025232309641 | 5025232315581 | 5025232315574 | 5025232315666 | 5025232247189 |
| MODEL | MC E7305 | MC E7303 | MC E7301 | MC E7103 | MC E7101 |
| Colour | Silver | Dark Blue | Mauve | Red | Dark Blue |
| Max. Motor Power | 1800W | 1600W | 1500W | 1500W | 1400W |
| Accessories/Tools | 2 | 2 | 2 | 2 | 2 |
| Floorhead: Standard | • | • | • | • | • |
| Superflexible | - | - | - | - | - |
| Turbo Brush | - | - | _ | _ | |
| Deluxe (Hard Floor) | | | | | - |
| A 11 A 14 MI 11 A | - | - | - | - | - |
| Adjustable Floor Head | • | - | - | - | - |
| Hose Type: Anthracite Telescopic | | | | | |
| | | | | | |
| Hose Type: Anthracite Telescopic Chrome Telescopic | • - - | | • - - | | |
| Hose Type: Anthracite Telescopic Chrome Telescopic 2 Piece Chrome | • - - | - - - | - - - | • - - - | - - - |
| Hose Type: Anthracite Telescopic Chrome Telescopic 2 Piece Chrome 2 Piece Plastic | - - - - | - - - - | • - - - | • - - - | • - - - |
| Hose Type: Anthracite Telescopic Chrome Telescopic 2 Piece Chrome 2 Piece Plastic Variable Power | - - - - | • • • | • - - - | • - - - | - - - - |
| Hose Type: Anthracite Telescopic Chrome Telescopic 2 Piece Chrome 2 Piece Plastic Variable Power Bagless Technology | - - - - - | - - - - - | - - - - - | - - - - - | - - - - - |
| Hose Type: Anthracite Telescopic Chrome Telescopic 2 Piece Chrome 2 Piece Plastic Variable Power Bagless Technology TwinBin Technology | • | - - - - - - | - - - - - | - - - - - - | - - - - - |
| Hose Type: Anthracite Telescopic Chrome Telescopic 2 Piece Chrome 2 Piece Plastic Variable Power Bagless Technology TwinBin Technology On Board Tool Storage | • • • • • • • • • • • • • • • • • | • • • • • • • • • • • • • • • • • | - - - - - - | - - - - - - | • • • • • • • • • • • • • • • |
| Hose Type: Anthracite Telescopic Chrome Telescopic 2 Piece Chrome 2 Piece Plastic Variable Power Bagless Technology TwinBin Technology On Board Tool Storage Swivel Hose | | • • • • • • • • • • • • • • • • | - - - - - - - 0 | - - - - - - - - 0 | - - - - - - - - |
| Hose Type: Anthracite Telescopic Chrome Telescopic 2 Piece Chrome 2 Piece Plastic Variable Power Bagless Technology TwinBin Technology On Board Tool Storage Swivel Hose HEPA Filter | - - - - - 0 | • • • • | - - - - - - - - - | - - - - - - - - | - - - - - - - - - |
| Hose Type: Anthracite Telescopic Chrome Telescopic 2 Piece Chrome 2 Piece Plastic Variable Power Bagless Technology TwinBin Technology On Board Tool Storage Swivel Hose HEPA Filter Electrostatic Filtration | - - - - - 0 0 | • • • • • • • • • • • • • • • • • | - - - - - - - 0 | - - - - - - - 0 | - - - - - - - - - 0 |
| Hose Type: Anthracite Telescopic Chrome Telescopic 2 Piece Chrome 2 Piece Plastic Variable Power Bagless Technology TwinBin Technology On Board Tool Storage Swivel Hose HEPA Filter Electrostatic Filtration Bag/Bin Full Indicator Bag/Bin Capacity (litres) | | • • • • • • • • • • • • • • • • • • • | | • • • • • • • • • • • • • • • • • • • | - - - - - - - - - - - - - |
| Hose Type: Anthracite Telescopic Chrome Telescopic 2 Piece Chrome 2 Piece Plastic Variable Power Bagless Technology TwinBin Technology On Board Tool Storage Swivel Hose HEPA Filter Electrostatic Filtration Bag/Bin Full Indicator | - - - - - - - - - - - - - - - - - - - | - - - - - - - - - - - - - - - - - - - | - - - - - - - - 4.2 | - - - - - - - - 2.1 | - - - - - - - - 2.1 |
| Hose Type: Anthracite Telescopic Chrome Telescopic 2 Piece Chrome 2 Piece Plastic Variable Power Bagless Technology TwinBin Technology On Board Tool Storage Swivel Hose HEPA Filter Electrostatic Filtration Bag/Bin Full Indicator Bag/Bin Capacity (litres) Cord Rewind | | | - - - - - - - - - - 4.2 | | - - - - - - - - 2.1 |
| Hose Type: Anthracite Telescopic Chrome Telescopic 2 Piece Chrome 2 Piece Plastic Variable Power Bagless Technology TwinBin Technology On Board Tool Storage Swivel Hose HEPA Filter Electrostatic Filtration Bag/Bin Full Indicator Bag/Bin Capacity (litres) Cord Rewind Cord length (metres) | | | | | - - - - - - - - 2.11 |
| Hose Type: Anthracite Telescopic Chrome Telescopic 2 Piece Chrome 2 Piece Plastic Variable Power Bagless Technology TwinBin Technology On Board Tool Storage Swivel Hose HEPA Filter Electrostatic Filtration Bag/Bin Full Indicator Bag/Bin Capacity (litres) Cord Rewind Cord length (metres) Weight (Kg) | | | | | |





